

Institute of Technical Chemistry of Ural Branch of RAS

Tel.: +7 (342)-237-82-90 E-mail: info@itcras.ru

www.itcras.ru

# **DECLARATION OF PERFORMANS**

As per Regulation (EU) No. 305/2011

Impast resistance

№ 003BT2021-06-08

Page 1 of 2

4 D. 1 (4	- 450 H-360 Jan 1918 N - 1949 N		
Product type     Unique identification code of the product-type		Betomix-ITH	
2. Type batch or serial number or any other element allowing identification of the construction product as required under Article 11(4)		Batch numbers are placed on individual packages	
3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer"		Crystalline capillary and penetrating waterproofing for concrete	
4. Name, registered trade name or registered trade mark and contact address of the require pursuant to Article 11(5):		Institute of Technical Chemistry of Ural Branch of RAS , Perm, Ak. Korolev St., 3, RUSSIA, 614013, Phone:+7 (342) 237-82-90 e-mail: info@itcras.ru	
5. Contact address Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):		Institute of Technical Chemistry of Ural Branch of RAS , Perm, Ak. Korolev St., 3, RUSSIA, 614013, Phone:+7 (342) 237-82-90 e-mail: info@itcras.ru	
<b>6. System</b> or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:		3	
7. Notified body In case of the declaration of performance concerning a construction product covered by a harmonised standard:		1871 The notified production control certification body Center for Testing and European Certification" Ltd, Nr. 1871	
8. Declared performance		See table below	
Essential Characteristic	Pe	rformance	Harmonized Technical Specification
Adhesive strength	Average 1,44 N/mm <sup>2</sup> . t=21±0.2)°C, RH=(51±1)%		
Water absorption	Average 1,14 kg/m <sup>2</sup> .h <sup>0,5</sup> . Paints and varnishes - coating materials and coating systems for exterior masonry and concrete. Part3: Determination of liquid water permeability.  EN 1504-2 (Regulation		
Water vapour permeability	80,0 g /m².d. Paints and varnishes - determination of water-vapour transmission properties - Cup metod.		

Part 1: Falling-weight test, large-area indenter (ISO 6272-

2000g/75mm - no 2000g/50mm - yes

1:2011)

### **DECLARATION OF PERFORMANCE**

As per Regulation (EU) No. 305/2011Betomix-ITH

### 9. Declaration

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer in point 4.

Test reports: No A 1 28 3036/30.03.2021.

Signed for and on behalf of the manufacturer by:

Head of Technical Control Department, senior researcher, PhD in Technical Sciences

T.V. Valtsifer

Certified True and Correct

Institute of Technical Chemistry of Ural Branch of RAS Director

DATE: 08.06.2021





Institute of Technical Chemistry of Ural Branch of RAS

Tel.: +7 (342)-237-82-90 E-mail: info@itcras.ru

www.itcras.ru

### **DECLARATION OF PERFORMANS**

As per Regulation (EU) No. 305/2011

Impast resistance

№ 003BTG2021-06-08

Page 1 of 2

1. Product type Betomix-ITH Gel Unique identification code of the product-type 2. Type batch or serial number or any other element Batch numbers are placed on individual packages allowing identification of the construction product as required under Article 11(4) 3. Intended use or uses of the construction product, Crystalline capillary and penetrating in accordance with the applicable harmonized technical waterproofing for concrete specification, as foreseen by the manufacturer" 4. Name, registered trade name or registered trade Institute of Technical Chemistry mark and contact address of the require pursuant to of Ural Branch of RAS, Article 11(5): Perm, Ak. Korolev St., 3, RUSSIA, 614013, Phone:+7 (342) 237-82-90 e-mail: info@itcras.ru 5. Contact address Institute of Technical Chemistry Where applicable, name and contact address of the auof Ural Branch of RAS, thorized representative whose mandate covers the tasks Perm, Ak. Korolev St., 3, RUSSIA, 614013, specified in Article 12(2): Phone:+7 (342) 237-82-90 e-mail: info@itcras.ru 6. System or systems of assessment and verification 3 of constancy of performance of the construction product as set out in Annex V. 7. Notified body 1871 In case of the declaration of performance The notified production control certification body Center for Testing and European Certification" Ltd, Nr. 1871 concerning a construction product covered by a harmonised standard: 8. Declared performance See table below **Essential Characteristic** Performance Harmonized Technical Specification 0 N/mm<sup>2</sup>. t=21±0.2)°C, RH=(51±1)% Adhesive strength Average 0,52 kg/m<sup>2</sup>.h<sup>0,5</sup>. Paints and varnishes - coating Water absorption materials and coating systems for exterior masonry and concrete. Part3: Determination of liquid water permeability. EN 1504-2 (Regulation Water vapour permeability CPR 305/2011) 115,0 g /m<sup>2</sup>.d. Paints and varnishes - determination of

water-vapour transmission properties - Cup metod. 2000g/45mm - no. Part 1: Falling-weight test, large-area

indenter (ISO 6272-1:2011)

# **DECLARATION OF PERFORMANCE**

As per Regulation (EU) No. 305/2011Betomix-ITH Gel

#### 9. Declaration

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer in point 4.

Test reports: No A 1 28 3037/29.03.2021.

Signed for and on behalf of the manufacturer by:

Head of Technical Control Department, senior researcher, PhD in Technical Sciences

I.V. Valtsifer

Certified True and Correct

Institute of Technical Chemistry of Ural Branch of RAS Director

DATE: 08.06.2021

